

Description

- Hydraulic Double Scissor Lift - 6,600 lbs lifting capacity
- Extremely low drive-over height allows for easy access
- Double Master-Slave System for synchronization and high safety standards
- No connection to compressed air is needed
- Emergency shut-off function
- High directional stability due to special scissor arm profile
- Full lifting force even in lower lifting height range



Technical Data

	Surface mounted	Flush mounted
➤ Lifting capacity (lbs)	6,600	6,600
➤ Lifting height (")	74 ¾	70 ¾
➤ Lifting time (sec)	*40	*40
➤ Low clearance (")	4	---
➤ Length of platform (")	60 ¾ - 82 ¾	60 ¾ - 82 ¾
➤ Width of platforms (")	21 ¾	21 ¾
➤ Total width (") (recommended)	74 ¾	74 ¾
➤ Hydraulic unit (HP)	3.3	3.3
➤ Width between platforms (")	31 ½	31 ½
➤ Motor Power	2 HP	
➤ Power supply	208/230V, 60HZ, 1-Ph. or 208/230V, 60HZ, 3-Ph.	
➤ Shipping weight (lbs)	1,760	

* With 3 Phase installation

Scope of delivery

- Twin Double Scissors Lift
- 2 Drive-over wedges (surface mounted version only)
- Foundation inserts to extend support plates in fully lowered position (flash mounted version only)
- Control desk with power unit
- Hydraulic hoses for a 78 ¾ " distance between lift and power unit (for flash mount installation hydraulic hose extensions recommended)

To be prepared by customer

- Power supply as required
- Unloading (fork lift)

Twin 7000



Versions	Order Number	Price
Twin 7000 surface mounted includes 4 pcs. plastic chocks VZ 975069 Specify the part # with order, \$0.00 value	VP 250136	\$ 9,583.00
Twin 7000 flush mounted includes Foundation Inserts to extend the platform in its fully lowered position 4 pcs. plastic chocks VZ975069 included Specify the part# with order, \$ 0.00 value	VP 250137	\$10,166.00
Accessories		
• Rubber pads flat (4 pcs. 4" x 5.9" x 3/4")	VZ 975586	\$ 53.00
• Hard Rubber Blocks (connectable) (4 pcs.)	VZ 975074	\$ 249.80
• Plastic Chocks (4 pcs. 3.74" x 5.19" x 13.38")	VZ 970045	\$ 208.20
• Plastic Chocks (4 pcs. 1.85" x 5.20" x 13.38")	VZ 975069	\$ 170.70
• Long Drive-Over Ramps for lower vehicles (4 pcs. 2 x 52.75" & 2 x 33.07") color grey RAL 7016	VZ 970125	\$ 1,560.00
• Mobility Kit Frame for mobile use Easy and quick relocation possible by using a fork lift or even a pallet jack; No lift to floor connection required (Drive over height 4.33")	VZ 970124	\$ 6,217.00
• Aluminum transverse (powder coated) Capacity per transverse 3,300 lbs; for lifting in between platforms and for narrow frame vehicles	VZ 970127	\$ 1,224.50

Twin 7000



Accessories	Order Number	Price
▪ Hydraulic hose extensions per 39.37” (max.157.48”)	VZ 970052	\$ 359.25
▪ Installation Material (16 x Anchor bolts M10 x 130)	VM 999021	\$ 90.70

Twin 7000



Accessories

- Rubber pads flat (4 pcs. 4" x 5.9" x 3/4")

Order number

VZ 975586

Picture



- Hard Rubber Blocks (connectable) (4 pcs.)

VZ 975074



- Plastic Chocks (4 pcs. 3.74" x 5.19" x 13.38")

VZ 970045



- Plastic Chocks (4 pcs. 1.85" x 5.20" x 13.38")

VZ 975069



- Long Drive Over Ramps for lower vehicles
(4 pcs.: 2 x 52.75" & 2 x 33.07")
color grey RAL 7016

VZ 970125



Twin 7000



Accessories

Order number

Picture


- Mobility Kit Frame for mobile use
Easy and quick relocation possible by using a fork lift or even a pallet jack;
No lift to floor connection required
(Drive over height 4.33")

VZ 970124



- Aluminum transverse (powder coated)
Capacity per transverse 3,300 lbs; for lifting in between platforms and for narrow frame vehicles

VZ 970127



- Hydraulic hose extensions per 39.37"
(max. 157.48")

VZ 970052



- Installation Material
(16 x Anchor bolts M10 x 130)

VM 999021

